

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1874	353/33,20,55,56,52,81,119.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/26 14:10
S2	15172	project\$4 and convergence	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/03 14:36
S3	3057	S2 and split\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/03 14:37
S4	1414	S3 and modula\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/03 14:40
S5	38	S3 and (thermal adj expansion adj coefficient)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/03 14:38
S6	1270	projector and alumina	US-PGPUB; USPAT	OR	ON	2005/02/04 11:00
S7	1270	projector and "alumina"	US-PGPUB; USPAT	OR	ON	2005/02/04 11:00
S8	117	S7 and split\$5	US-PGPUB; USPAT	OR	ON	2005/02/04 11:31
S9	24	"353"/\$.ccls. and alumina	US-PGPUB; USPAT	OR	ON	2005/02/04 11:42
S10	141	"353"/\$.ccls. and ceramic	US-PGPUB; USPAT	OR	ON	2005/02/04 11:54
S11	283	(ceramic same alumina) and ("353"/\$.ccls. or "359"/\$.ccls. or "349"/\$.ccls. or "348"/\$.ccls.)	US-PGPUB; USPAT	OR	ON	2005/02/05 11:06
S12	0	projector and (misconvergence adj drift)	US-PGPUB; USPAT	OR	ON	2005/02/04 13:30
S13	48	projector and (misconvergence )	US-PGPUB; USPAT	OR	ON	2005/05/26 14:10
S14	79	"353"/\$.ccls. and (analyzer same (light adj valve))	US-PGPUB; USPAT	OR	ON	2005/02/05 11:31
S15	103	349/80,84,96.ccls. and analyzer	US-PGPUB; USPAT	OR	ON	2005/05/26 14:11

S16	15	ceramic and misconverge\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/26 14:07
S17	1963	353/33,20,55,56,52,81,119.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/26 14:10
S18	50	projector and (misconvergence )	US-PGPUB; USPAT	OR	ON	2005/05/26 14:11
S19	59	projector and (misconvergence )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/26 14:11
S20	107	349/80,84,96.ccls. and analyzer	US-PGPUB; USPAT	OR	ON	2005/05/26 14:11
S21	482	349/7,62.ccls.	US-PGPUB; USPAT	OR	OFF	2005/05/26 16:06